

according to Regulation (EC) No 1907/2006

A51.00, A58.10

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

A51.00, A58.10

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives, sealants

Uses advised against

none/none

1.3. Details of the supplier of the safety data sheet

Company name: EURO-LOCK Vertriebs-GmbH

Street: Nordweststraße 3
Place: D-59387 Ascheberg

Telephone: +49 (0) 2593 - 95 88 7 - 0 Telefax: +49 (0) 2593 - 95 88 7 - 29

e-mail: info@euro-lock.de
Internet: www.euro-lock.de

Responsible Department: Tel.:+49 (0) 2593 - 95 88 7 - 0

info@euro-lock.de

1.4. Emergency telephone +49 (0) 2593 - 95 88 7 - 0

number: Montag - Donnerstag v. 08.00 Uhr - 17.00 Uhr, Freitag v. 08.00 Uhr - 13.00 Uhr

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS classification

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1 Respiratory/skin sensitization: Skin Sens. 1

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements: Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazardous components which must be listed on the label

methacrylic acid, monoester with propane-1,2-diol 2-methylpropenoic acid, methacrylic acid cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide maleic acid



according to Regulation (EC) No 1907/2006

A51.00, A58.10

Page 2 of 14

Signal word: Danger

Pictograms: GHS05-GHS07-GHS09







Hazard statements

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P363 Wash contaminated clothing before reuse.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER or doctor/physician.

P501 Dispose of contents/container to disposal according to official regulations .

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

A51.00, A58.10

Page 3 of 14

Hazardous components

| EC No | Chemical name | Quantity |
|--------------|---|-----------|
| CAS No | Classification | |
| Index No | GHS classification | |
| REACH No | | |
| 221-950-4 | propylidynetrimethyl trimethacrylate | 80 - 85 % |
| 3290-92-4 | | |
| | Aquatic Chronic 2; H411 | |
| 248-666-3 | methacrylic acid, monoester with propane-1,2-diol | 5 - 10 % |
| 27813-02-1 | |] |
| | Eye Irrit. 2, Skin Sens. 1; H319 H317 | |
| 201-204-4 | 2-methylpropenoic acid, methacrylic acid | 1 - 5 % |
| 79-41-4 | | |
| 607-088-00-5 | Acute Tox. 4, Acute Tox. 4, Skin Corr. 1A; H312 H302 H314 | |
| 201-254-7 | cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide | 1 - 5 % |
| 80-15-9 | | |
| 617-002-00-8 | Org. Perox. E, Acute Tox. 3, Acute Tox. 4, Acute Tox. 4, STOT RE 2, Skin Corr. 1B, Aquatic Chronic 2; H242 H331 H312 H302 H373 ** H314 H411 | |
| 204-055-3 | 2'-Phenylacetohydrazide | <1 % |
| 114-83-0 | | |
| | Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, STOT SE 3; H301 H315 H319 H317 H335 | |
| 202-704-5 | cumene | <1 % |
| 98-82-8 | | |
| 601-024-00-X | Flam. Liq. 3, Asp. Tox. 1, STOT SE 3, Aquatic Chronic 2; H226 H304 H335 H411 | |
| 203-742-5 | maleic acid | <1 % |
| 110-16-7 | |] |
| 607-095-00-3 | Acute Tox. 4, Eye Irrit. 2, STOT SE 3, Skin Irrit. 2, Skin Sens. 1; H302 H319 H335 H315 H317 | |

Full text of R and H phrases: see Section 16.

Further Information

Product does not contain listed SVHC substances.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).

After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. in case of allergic symptoms especially in the breathing area, seek medical advice immediately.

After contact with skin

After contact with skin, wash immediately with: Water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding



according to Regulation (EC) No 1907/2006

A51.00, A58.10

Page 4 of 14

eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Let water be swallowed in little sips (dilution effect). In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray. Foam. Carbon dioxide. Extinguishing powder.

Extinguishing media which must not be used for safety reasons

High power water jet.

5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Wear a self-contained breathing apparatus and chemical resistant suit.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Extinguishing materials should be selected according to the surrounding area.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Provide adequate ventilation.

Do not breathe gas/vapour/spray.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment. Prevent spreading over great surfaces (e.g. by damming or installing oil booms).

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the assimilated material according to the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear suitable protective clothing. (Refer to chapter 8.)

Do not breathe gas/vapour/spray.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Avoid contact with skin, eye and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep container dry.



according to Regulation (EC) No 1907/2006

A51.00, A58.10

Page 5 of 14

Advice on storage compatibility

Do not store together with: Oxidizing solids. Oxidizing liquids. Explosives. Food and fodder.

Further information on storage conditions

Protect against: Light. UV-radiation/sunlight. heat. cooling moisture.

7.3. Specific end use(s)

Adhesives, sealants. Industrial Processing.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|---------|------------------|-----|-------|-----------|---------------|--------|
| 98-82-8 | Cumene | 25 | 125 | | TWA (8 h) | WEL |
| | | 50 | 250 | | STEL (15 min) | WEL |
| 79-41-4 | Methacrylic acid | 20 | 72 | | TWA (8 h) | WEL |
| | | 40 | 143 | | STEL (15 min) | WEL |

8.2. Exposure controls





Occupational exposure controls

In case of open handling, use devices with built-in suction where possible. If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working place must be ensured.

Protective and hygiene measures

Always close containers tightly after the removal of product. Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and at the end of work. Remove contaminated clothing immediately and dispose off safely. Wash contaminated clothing prior to re-use. Used working clothes should not be used outside the work area. Street clothing should be stored separately from work clothing.

Respiratory protection

Respiratory protection required in case of:

exceeding critical value

Generation/formation of aerosols

Generation/formation of mist

Suitable respiratory protective equipment:

Combination filter device (DIN EN 141).. Type: A -P2/P3

Hand protection

Pull-over gloves of rubber. DIN EN 374

Suitable material:

(penetration time (maximum wearing period): >= 8h)

Butyl rubber. (0,5 mm)

FKM (fluororubber). (0,4 mm)

CR (polychloroprenes, Chloroprene rubber). (0,5 mm)

Before using check leak tightness / impermeability. In case of reutilization, clean gloves before taking off and store in well-aired place.

Protect skin by using skin protective cream.



according to Regulation (EC) No 1907/2006

A51.00, A58.10

Page 6 of 14

Eye protection

Suitable eye protection: Tightly sealed safety glasses. DIN EN 166

Skin protection

Suitable protection of the body: Lab apron.

Environmental exposure controls

Do not empty into drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: pink

Odour: characteristic

Test method

pH-Value:

Changes in the physical state

Melting point: not determined
Boiling point: not determined
Flash point: not determined

Explosive properties

none/none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

Oxidizing properties

none/none

Vapour pressure: not determined Water solubility: not determined Viscosity / dynamic: 300.000 - 600.000 mPa·s

SECTION 10: Stability and reactivity

10.1. Reactivity

Hazardous polymerization: Protect from direct sunlight. Can polymerise exothermically if heated, exposed to air, sunlight or by addition or free radical initiators.

10.2. Chemical stability

Stable under normal storage and handling conditions.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Protect against: Light. UV-radiation/sunlight. heat. cooling moisture.

10.5. Incompatible materials

Materials to avoid: Strong acid. Oxidizing agents, strong. Alkalis (alkalis), concentrated. amines. Peroxides.

10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).



according to Regulation (EC) No 1907/2006

A51.00, A58.10

Page 7 of 14

Further information

No information available.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

| CAS No | Chemical name | | | | | | |
|------------|--------------------------------------|--|-------------|---------|--------------|--|--|
| | Exposure routes | Method | Dose | Species | Source | | |
| 3290-92-4 | propylidynetrimethyl trimethacrylate | | | | | | |
| | oral | LD50 | >2000 mg/kg | Rat. | Echa dossier | | |
| | dermal | LD50 | >2000 mg/kg | Rabbit. | Echa dossier | | |
| 27813-02-1 | methacrylic acid, monoester with | propane-1,2 | -diol | | | | |
| | oral | LD50 | 6162 mg/kg | Rat. | | | |
| 79-41-4 | 2-methylpropenoic acid, methacr | ylic acid | | | | | |
| | oral | LD50 mg/kg | 1320-2260 | Rat. | | | |
| | dermal | ATE | 1100 mg/kg | | | | |
| 80-15-9 | cumene hydroperoxide, alpha,alp | cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide | | | | | |
| | oral | LD50 | 382 mg/kg | Rat. | IUCLID | | |
| | dermal | LD50 | 500 mg/kg | Rat. | RTECS | | |
| | inhalative (4 h) vapour | LC50 | (200) mg/l | Mouse. | IUCLID | | |
| | inhalative (0 h) aerosol | ATE | 0,5 mg/l | | | | |
| 114-83-0 | 2'-Phenylacetohydrazide | | | | | | |
| | oral | LD50 | 270 mg/kg | Mouse. | | | |
| 98-82-8 | cumene | | | | | | |
| | oral | LD50 | 1400 mg/kg | Rat. | | | |
| | dermal | LD50 | 12300 mg/kg | Rabbit | IUCLID | | |
| | inhalative (4 h) vapour | LC50 | 39 mg/l | Rat | RTECS | | |
| 110-16-7 | maleic acid | | | | | | |
| | oral | LD50 | 708 mg/kg | Rat. | | | |

Specific effects in experiment on an animal

No information available.

Irritation and corrosivity

Irritant effect on the eye: irritant. Irritant effect on the skin: irritant.

Sensitising effects

Respiratory or skin sensitisation:

People who suffer from skins problems, asthma, allergies, chronic or recurring respiratory illnesses must not be deployed in processes, which use this substance.



according to Regulation (EC) No 1907/2006

A51.00, A58.10

Page 8 of 14

Severe effects after repeated or prolonged exposure

cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide: Subchronic inhalative toxicity (90d) Rat. NOAEC = 31 mg/m³ cumene:

Subchronic inhalative toxicity (90d) Rat. NOAEC = 125 ppm methacrylic acid, monoester with propane-1,2-diol:
Subacute inhalative toxicity: NOAEL = 0,5 mg/l (21d) Rat. propylidynetrimethyl trimethacrylate:
NOAEL > 900 mg/kg (Rat.,OECD Guideline 422)

Carcinogenic/mutagenic/toxic effects for reproduction

cumene:

No experimental indications of mutagenicity in-vitro exist. cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide: There is Evidence for: In-vitro mutagenicity methacrylic acid, monoester with propane-1,2-diol: No experimental indications of mutagenicity in-vivo exist. propylidynetrimethyl trimethacrylate: In-vitro mutagenicity: positive./negative. In-vivo mutagenicity: negative. maleic acid: In-vitro mutagenicity: negative.

Additional information on tests

No information available.

SECTION 12: Ecological information



according to Regulation (EC) No 1907/2006

A51.00, A58.10

Page 9 of 14

12.1. Toxicity

| CAS No | Chemical name | | | | | | |
|------------|--|--------|----------------|----|-----------------------------------|--------------|--|
| | Aquatic toxicity | Method | Dose | h | Species | Source | |
| 3290-92-4 | propylidynetrimethyl trimethacrylate | | | | | | |
| | Acute fish toxicity | LC50 | 2 mg/l | 96 | Oncorhynchus mykiss | Echa dossier | |
| | Acute algae toxicity | ErC50 | 3.88 mg/l | 72 | Pseudokirchnerella subcapitata | Echa dossier | |
| | Acute crustacea toxicity | EC50 | 9,22 mg/l | 48 | daphnia magna | Echa dossier | |
| 27813-02-1 | methacrylic acid, monoester with propane-1,2-diol | | | | | | |
| | Acute fish toxicity | LC50 | 833 mg/l | 96 | Scophthalmus maximus | | |
| | Acute crustacea toxicity | EC50 | >130 mg/l | 48 | daphnia magna | | |
| 79-41-4 | 2-methylpropenoic acid, methacrylic acid | | | | | | |
| | Acute fish toxicity | LC50 | 85 mg/l | 96 | Oncorhynchus mykiss | | |
| | Acute crustacea toxicity | EC50 | >130 mg/l | 48 | Daphnia magna | | |
| 80-15-9 | cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide | | | | | | |
| | Acute fish toxicity | LC50 | 3,9 mg/l | 96 | rainbow trout | | |
| | Acute crustacea toxicity | EC50 | 18,84 mg/l | 48 | Daphnia magna | | |
| 98-82-8 | cumene | | | | | | |
| | Acute fish toxicity | LC50 | 4,8 mg/l | 96 | Oncorhynchus mykiss | | |
| | Acute algae toxicity | ErC50 | 1,88-2,15 mg/l | 72 | Desmodesmus subspicatus | | |
| 110-16-7 | maleic acid | | | | | | |
| | Acute fish toxicity | LC50 | 106 mg/l | 96 | Leucisus idus | | |
| | Acute crustacea toxicity | EC50 | 316 mg/l | 48 | Daphnia magna | | |

12.2. Persistence and degradability

cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide:

OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C (28 d) = 3%

Not easily bio-degradable (according to OECD-criteria).

methacrylic acid, monoester with propane-1,2-diol:

Not easily bio-degradable (according to OECD-criteria).

cumene:

Easily biodegradable (concerning to the criteria of the OECD): 70% (20d)

2-methylpropenoic acid, methacrylic acid:

OECD 301D / EEC 92/69 annex V, C.4-E (28d) = 86%

Easily biodegradable (concerning to the criteria of the OECD)

maleic acid:

OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C (28 d) = 97%

Easily biodegradable (concerning to the criteria of the OECD)

propylidynetrimethyl trimethacrylate:

OECD 301B / ISO 9439 / EEC 92/69 annex V, C.4-C (28 d) < 60%

Not easily bio-degradable (according to OECD-criteria). (http://apps.echa.europa.eu/)

12.3. Bioaccumulative potential

No information available.



according to Regulation (EC) No 1907/2006

A51.00, A58.10

Page 10 of 14

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|--|---------|
| 3290-92-4 | propylidynetrimethyl trimethacrylate | 3,53 |
| 27813-02-1 | methacrylic acid, monoester with propane-1,2-diol | 0,97 |
| 79-41-4 | 2-methylpropenoic acid, methacrylic acid | 0,93 |
| 80-15-9 | cumene hydroperoxide, alpha,alpha-dimethylbenzyl hydroperoxide | 2,16 |
| 98-82-8 | cumene | 3,55 |
| 110-16-7 | maleic acid | -0,79 |

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Consult the local waste disposal expert about waste disposal.

Waste disposal number of waste from residues/unused products

080409

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other dangerous substances Classified as hazardous waste.

Glacomod do Flazardodo Wacto.

Waste disposal number of used product

080409

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other dangerous substances Classified as hazardous waste.

Waste disposal number of contaminated packaging

150202

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; absorbents, filter materials, wiping cloths and protective clothing; absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances Classified as hazardous waste.

Contaminated packaging

Cleaned containers may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(propylidynetrimethyl trimethacrylate, cumene hydroperoxide,

alpha, alpha-dimethylbenzyl hydroperoxide)

14.3. Transport hazard class(es): 9

14.4. Packing group:



according to Regulation (EC) No 1907/2006

A51.00, A58.10

Page 11 of 14

Hazard label: 9

Classification code: M6

Special Provisions: 274 335 601

Limited quantity: 5 L
Transport category: 3
Hazard No: 90
Tunnel restriction code: E

Other applicable information (land transport)

Excepted quantity: E1

Inland waterways transport (ADN)

14.1. UN number: UN3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(propylidynetrimethyl trimethacrylate, cumene hydroperoxide,

alpha, alpha-dimethylbenzyl hydroperoxide)

14.3. Transport hazard class(es): 9
14.4. Packing group:

Hazard label: 9



Classification code: M6

Special Provisions: 274 335 601

Limited quantity: 5 L

Other applicable information (inland waterways transport)

Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number: UN3082

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(propylidynetrimethyl trimethacrylate, cumene hydroperoxide)

14.3. Transport hazard class(es):914.4. Packing group:III

Hazard label: 9



Marine pollutant: Yes
Special Provisions: 274, 335
Limited quantity: 5 L
EmS: F-A, S-F

Other applicable information (marine transport)

Excepted quantity: E1

Air transport (ICAO)

14.1. UN number: UN3082



according to Regulation (EC) No 1907/2006

A51.00, A58.10

Page 12 of 14

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(propylidynetrimethyl trimethacrylate, cumene hydroperoxide)

14.3. Transport hazard class(es):914.4. Packing group:IIIHazard label:9

Special Provisions: A97 A158 Limited quantity Passenger: 30 kg G

IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

Other applicable information (air transport)

Excepted quantity: E1 Passenger-LQ: Y964

14.5. Environmental hazards

Dangerous for the environment: yes



14.6. Special precautions for user

Do not empty into drains.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

1999/13/EC (VOC): ~8 % Data concerning the Directive 1999/13/EC on the limitation of emissions

of volatile organic compounds (VOC-RL)

Additional information

1967/548 (2008/58, 30. ATP/ 31. ATP); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004;

1907/2006; 1272/2008; 75/324/EWG (2008/47/EG)

National regulatory information

Employment restrictions: Observe employment restrictions for young people.

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Rev 1,00 Initial release 20.03.13

Rev 2,00 06.03.2014

Rev 3,00; 28.08.2019 excluding of R-sentences



according to Regulation (EC) No 1907/2006

A51.00, A58.10

Page 13 of 14

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations

Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

Full text of H statements referred to under Sections 2 and 3

| H226 | Flammable liquid and vapour. |
|------|--|
| H242 | Heating may cause a fire. |
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H335 | May cause respiratory irritation. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H411 | Toxic to aquatic life with long lasting effects. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



according to Regulation (EC) No 1907/2006

A51.00, A58.10

Page 14 of 14