

*

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.02.2018

Version number 14

Revision: 21.02.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
· Trade name: drilling and cutting oil
 Article number: LOS248 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Metal-working product
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Euro-Lock Vertriebs-GmbH Nordweststr. 3 D - 59387 Ascheberg Tel.: +49 (0) 2593/95887-0 Fax: +49 (0) 2593/ 95887-29 www.euro-lock.de info@euro-lock.de Further information obtainable from: Tel.: +49 (0) 2593/95887-0 info@euro-lock.de 1.4 Emergency telephone number: Tel.: +49 (0) 2593/95887-0 Monday - Thursday 8.00 a.m 5.00 p.m. and Friday 8.00 a.m 1.p.m.
SECTION 2: Hazards identification
· 2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
GHS02 flame
Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
 • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. • Hazard pictograms
GHS02
· Signal word Danger
• Hazard-determining components of labelling: White mineral oil Hydrocarbons, C10-C12, isoalkanes, <2% aromatics
• Hazard statements H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
H412 Harmful to aquatic life with long lasting effects.
• Precautionary statements P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use.
P273 Avoid release to the environment.
(Contd. on page 2)

- GB -



Version number 14

Revision: 21.02.2018

```
Trade name: drilling and cutting oil
```

Article-number: LOS248

(Contd. of page 1)

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C.P501Dispose of contents/container to hazardous or special waste collection point.

· Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

· 2.3 Other hazards

Printing date 21.02.2018

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

 \cdot **Description:** Mixture of substances listed below with nonhazardous additions.

• Dangerous components: CAS: 8042-47-5	White mineral oil	25-<50%
EINECS: 232-455-8 Reg.nr.: 01-2119487078-27-xxxx	🗞 Asp. Tox. 1, H304	
CAS: 75-28-5 EINECS: 200-857-2 Reg.nr.: 01-2119485395-27-xxxx	isobutane Flam. Gas 1, H220; O Press. Gas (Comp.), H280	- 25-<50%
CAS: 74-98-6 EINECS: 200-827-9 Reg.nr.: 01-2119486944-21-xxxx	propane Flam. Gas 1, H220; O Press. Gas (Comp.), H280	- 10-<20%
EC number: 923-037-2 Reg.nr.: 01-2119471991-29-xxxx	Hydrocarbons, C10-C12, isoalkanes, <2% aromatics Flam. Liq. 3, H226; S Asp. Tox. 1, H304; Aquatic Chronic 2, H411	
CAS: 106-97-8 EINECS: 203-448-7 Reg.nr.: 01-2119474691-32-xxxx	butane ♦ Flam. Gas 1, H220; ♦ Press. Gas (Comp.), H280	- 5-<10%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Take affected persons into fresh air and keep quiet.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Immediately remove any clothing soiled by the product.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

GB



Printing date 21.02.2018

Version number 14

Revision: 21.02.2018

Trade name: drilling and cutting oil

Article-number: LOS248

(Contd. of page 2)

SECTION 5: Firefighting measures · 5.1 Extinguishing media · Suitable extinguishing agents: Foam Fire-extinguishing powder Carbon dioxide · For safety reasons unsuitable extinguishing agents: Water with full jet · 5.2 Special hazards arising from the substance or mixture Can form explosive gas-air mixtures. Formation of toxic gases is possible during heating or in case of fire. · 5.3 Advice for firefighters · Protective equipment: Wear self-contained respiratory protective device. · Additional information Cool endangered receptacles with water spray. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. **SECTION 6: Accidental release measures** · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources. · 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. · 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Avoid contact with skin and eyes.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from heat and direct sunlight.
- · 7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



×

Safety data sheet according to 1907/2006/EC, Article 31

Version number 14

Revision: 21.02.2018

Trade name: drilling and cutting oil

Article-number: LOS248

(Contd. of page 3)

	: 106-97-8 butane
WEL	Short-term value: 1810 mg/m ³ , 750 ppm
	Long-term value: 1450 mg/m ³ , 600 ppm
	Carc (if more than 0.1% of buta-1.3-diene)
Addi	tional information: The lists valid during the making were used as basis.
	xposure controls
	onal protective equipment:
Gene	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
Imme	ediately remove all soiled and contaminated clothing
Wash	hands before breaks and at the end of work.
Do n	ot inhale gases / fumes / aerosols.
Avoi	d contact with the eyes and skin.
Resp	iratory protection: Not necessary if room is well-ventilated.
Reco	mmended filter device for short term use: Filter AX
Prote	ection of hands:
The	Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	erial of gloves
	e rubber, NBR
	mmended thickness of the material: $\geq 0.7 \text{ mm}$
Raco	tration time of glove material
Pene	
Pene ≥240	min
Pene ≥ 240 The e	min exact break trough time has to be found out by the manufacturer of the protective gloves and has to
• Pene ≥ 240 The e obser	min exact break trough time has to be found out by the manufacturer of the protective gloves and has to ved.
Pene ≥ 240 The e obser	min exact break trough time has to be found out by the manufacturer of the protective gloves and has to
Pene ≥ 240 The e obser	min exact break trough time has to be found out by the manufacturer of the protective gloves and has to ved.

9.1 Information on basic physical an General Information	d chemical properties
Appearance:	
Form:	Aerosol
Colour:	Colourless
Odour:	Mild
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling rai	nge: Not applicable, as aerosol.
Flash point:	Not applicable, as aerosol.
Ignition temperature:	>200 °C
Explosive properties:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.



Printing date 21.02.2018



Printing date 21.02.2018

Version number 14

Revision: 21.02.2018

Trade name: drilling and cutting oil

Article-number: LOS248

		(Contd. of page
· Density at 20 °C:	0.64808 g/cm ³	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Organic solvents:	64.9 %	
VOC (EC)	420.6 g/l	
Solids content:	0.0 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:
- Aldehyde

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- \cdot Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Inhalative LC50/4 h 103 mg/l (rat)

- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- \cdot Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- \cdot STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard
- May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- \cdot 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

Page 5/8



Version number 14

Revision: 21.02.2018

Trade name: drilling and cutting oil

Article-number: LOS248

(Contd. of page 5)

· Additional ecological information:

· General notes:

Printing date 21.02.2018

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • 12.5 Results of PBT and vPvB assessment

• 12.5 Results of PD1 and VP

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 05 04* gases in pressure containers (including halons) containing hazardous substances

15 01 04 metallic packaging

· Uncleaned packaging:

 \cdot **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport informa	tion	
· 14.1 UN-Number · ADR/RID/ADN, IMDG, IATA	UN1950	
 · 14.2 UN proper shipping name · ADR/RID/ADN · IMDG · IATA 	UN1950 AEROSOLS AEROSOLS AEROSOLS, flammable	
 · 14.3 Transport hazard class(es) · ADR/RID/ADN 		
· Class · Label	2 5F Gases. 2.1	
· IMDG, IATA		
· Class · Label	2.1 2.1	
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void	
 · 14.5 Environmental hazards: · Marine pollutant: 	No	
 • 14.6 Special precautions for user • Danger code (Kemler): 	Warning: Gases.	
		(Contd. on page 7)



Printing date 21.02.2018

Version number 14

Revision: 21.02.2018

Trade name: drilling and cutting oil Article-number: LOS248 (Contd. of page 6) · EMS Number: F-D.S-U SW1 Protected from sources of heat. · Stowage Code SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 · Segregation Code litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · ADR/RID/ADN · Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity · Transport category 2 · Tunnel restriction code D · IMDG · Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity UN 1950 AEROSOLS, 2.1 · UN "Model Regulation":

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H220 Extremely flammable gas.

H226 Flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Product Safety department.

- **Contact:** Tel.: +49 (0) 2593/95887-0 info@euro-lock.de
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 8)

GB -



Page 8/8

Printing date 21.02.2018

Version number 14

Revision: 21.02.2018

Trade name: drilling and cutting oil

Article-number: LOS248

(Contd. of page 7)

ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1: Flammable gases - Category 1 Aerosol 1: Aerosols - Category 1 Press. Gas (Comp.): Gases under pressure - Compressed gas Flam. Liq. 3: Flammable liquids – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 • * Data compared to the previous version altered.